

Message

---

**From:** Dykes, Bailee [bailee.dykes@adem.alabama.gov]  
**Sent:** 4/25/2017 6:26:22 PM  
**To:** Whiting, Paula [Whiting.Paula@epa.gov]  
**Subject:** FW: Mesker Door Trip Report  
**Attachments:** Mesker Door Trip Report.docx

Paula,

Please review the attached trip report for Mesker Door. The track changes are still on in the report if you want to make changes here. Please, if you could review and have comments back to me before Monday, May 1<sup>st</sup>.

Thank you ☺

---

**From:** Watson, Brent  
**Sent:** Tuesday, April 25, 2017 11:02 AM  
**To:** Dykes, Bailee  
**Subject:** FW: Mesker Door Trip Report

One revision in track changes. Unless there is new info after your call, please draft a NOV.

---

**From:** Dykes, Bailee  
**Sent:** Friday, April 21, 2017 1:27 PM  
**To:** Watson, Brent  
**Subject:** Mesker Door Trip Report

Brent,

Please review the attached trip report for Mesker Door (last one with EPA). I've asked for Safety Data Sheets for all of the paints used at the facility and all of them are not listing a flashpoint and are saying non-hazardous, but there was enough paint waste there to not make them be a CESQG as they've notified as. Plus, it is being shipped by a hazardous waste transporter to a TSDF.

I think enforcement should be a Warning Letter and include the violation for having an actual hazardous waste determination conducted. The other issues are used oil and universal waste.

Thank you,

*Bailee Dykes*

Environmental Scientist

Compliance and Enforcement

ADEM - Land Division

1400 Coliseum Blvd.

Montgomery, AL 36110

Office: (334)-279-3061

Email: [bailee.dykes@adem.alabama.gov](mailto:bailee.dykes@adem.alabama.gov)

[adem.alabama.gov](http://adem.alabama.gov)



*Mission: Assure for all citizens of the state a safe, healthful and productive environment*